

L Number	Hits	Search Text	DB	Time stamp
1	29	(offset same utc same clock) and gps	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:12
2	1	(offset same utc same clock same imag\$4) and gps	USPAT; US-PGPUB; IBM TDB	2004/07/14 09:35
4	1	"09/900321" and offset	USPAT; US-PGPUB; IBM TDB	2004/07/14 09:41
5	1	(offset same utc same clock same (video image camera))	USPAT; US-PGPUB; IBM TDB	2004/07/14 09:58
6	9634	(offset same time same (video image camera))	USPAT; US-PGPUB; IBM TDB	2004/07/14 09:58
7	10	((offset same time same (video image camera))) same geograph\$4	USPAT; US-PGPUB; IBM TDB	2004/07/14 09:58
8	2919428	imag\$4 same geograph\$4 same (offset difference\$3 deviat\$4) time	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:13
9	41	imag\$4 same geograph\$4 same (offset difference\$3 deviat\$4) same time	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:17
10	11	imag\$4 same geograph\$4 same ((offset difference\$3 deviat\$4) near2 time)	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:22
11	1	("6282362").PN.	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:23
12	1	((("6282362").PN.) and gps	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:28
13	0	((("6282362").PN.) and (gps near4 clock)	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:26
14	0	synchro\$6 near5 gps near4 reciever\$2 near4 clock near4 imag\$4	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:27
15	0	gps near4 reciever\$2 near4 clock near4 imag\$4	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:27
16	1	((("6282362").PN.) and clock	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:28
17	0	synchroniz\$4 and ((("6282362").PN.)	USPAT; US-PGPUB; IBM TDB	2004/07/14 10:29
18	18	synchroniz\$4 same gps same receiver same clock same (camera ccd video image)	USPAT; US-PGPUB; IBM TDB	2004/07/14 12:05
19	258	gps adj1 receiver adj1 (clock time)	USPAT; US-PGPUB; IBM TDB	2004/07/14 11:49
20	1	(gps adj1 receiver adj1 (clock time)) with (imag\$4 video camera ccd)	USPAT; US-PGPUB; IBM TDB	2004/07/14 11:48
21	1	(gps adj1 receiver adj1 (clock time)) same (imag\$4 video camera ccd)	USPAT; US-PGPUB; IBM TDB	2004/07/14 11:50
22	36	(gps adj1 receiver adj1 (clock time)) with synchroniz\$4	USPAT; US-PGPUB; IBM TDB	2004/07/14 11:49
23	3	((gps adj1 receiver adj1 (clock time)) with synchroniz\$4) and (imag\$4 video camera ccd)	USPAT; US-PGPUB; IBM TDB	2004/07/14 12:50
24	53	synchroniz\$4 same gps same clock same (camera ccd video image)	USPAT; US-PGPUB; IBM TDB	2004/07/14 12:15

25	8345	imag\$4 near3 record\$4 near5 (clock time)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:16
26	13	(imag\$4 near3 record\$4 near5 (clock time)) with (GPS (global adj1 position\$4))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:20
27	1	("5296884").PN.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:20
28	1	((("5296884").PN.) and clock	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:22
29	0	((("5296884").PN.) and synchro\$7	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:27
30	1	("6366311").PN.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:27
31	1	((("6366311").PN.) and synchro\$5	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:27
32	1	((("6366311").PN.) and (synchro\$5 same (clock time))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:28
33	1	"09/900321" and synchro\$5	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:51
34	1	"09/900321" and synchro\$7	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:54
35	25	synchro\$7 near5 clock near5 utc	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:09
36	0	(synchro\$7 near5 clock near5 utc) same camera	USPAT; US-PGPUB; IBM_TDB	2004/07/14 12:55
37	8	(synchro\$7 near5 clock near5 utc) same gps	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:46
38	284	((camera video ccd imag\$4) near2 (clock time)) same (gps utc)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:46
39	37	((camera video ccd imag\$4) near2 (clock time)) same (gps utc)) same (synchroniz\$4 adjust\$4 correct\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
40	1	("6337683").PN.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 14:51
3	1	"09/900321"	USPAT; US-PGPUB; IBM_TDB	2004/07/14 15:52
41	2	"09/888208"	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:21
42	1	("6282362").PN.	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:27
43	1	((("6282362").PN.) and display\$4	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:13
44	1	((("6282362").PN.) and (display\$4 with time)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:13
45	0	"09/888208" and (record\$4 near5 imag\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:22
46	0	"09/888208" and (record\$4 with imag\$4)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:22
47	2	"09/888208" and (record\$4 with video)	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:23

48	1	((("6282362").PN.) and (record\$4 with (video imag\$4))	USPAT; US-PGPUB; IBM_TDB	2004/07/14 16:23
49	3	((("6282362").PN.) or "09/888208"	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:27
50	0	((("6282362").PN.) or "09/888208") and utc	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:28
51	0	((("6282362").PN.) or "09/888208") and utc	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:28
52	0	((("6282362").PN.) and utc	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:30
53	3	((("6282362").PN.) or "09/888208") and time	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:32
54	2	((("6282362").PN.) or "09/888208") and (time with synchroniz\$4)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:35
55	2	((("6282362").PN.) or "09/888208") and (interpolat\$5)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:37
56	0	((("6282362").PN.) or "09/888208") and (interpolat\$5 same epoch)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:37
57	0	((("6282362").PN.) or "09/888208") and (interpolat\$5 same file)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:38
58	0	((("6282362").PN.) or "09/888208") and (interpolat\$5 same log)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:38
59	2	((("6282362").PN.) or "09/888208") and (interpolat\$5)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 16:46
60	3	((("6282362").PN.) or "09/888208") and (longitude latitude)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 17:07
61	0	((("6282362").PN.) or "09/888208") and (tag\$5)	USPÄT; US-PGPUB; IBM_TDB	2004/07/14 17:08

DOCUMENT-IDENTIFIER: US 20020057217 A1

TITLE: GPS based tracking
system

----- KWIC -----

Brief Description of Drawings Paragraph -
DRTX (15):

[0030] FIG. 14 is a flow chart describing
the process of synchronizing GPS
time and video time.

Detail Des

DOCUMENT-IDENTIFIER: US 20040075738 A1

TITLE: Spherical
surveillance system architecture

----- KWIC -----

Detail Description Paragraph - DETX (94):

[0098] The video broadcast protocol is divided into two sections: the logical layer which describes what data is sent, and the network encoding layer, which describes how that data is encoded and broadcast on the network. Preferably, software components are used to support both broadcast and receipt of the network-encoded data. Time synchronization is achieved by time stamping individual video broadcast packets with a common time stamp (e.g., UTC time) for the video frame. Network Time Protocol (NTP) is used to synchronize system clocks via a time synchronization channel

DOCUMENT-IDENTIFIER: US 20020047895 A1

TITLE: System and method
for creating, storing, and utilizing
composite images of a
geographic location

DOCUMENT-IDENTIFIER: US 20020047895 A1

TITLE: System and method
for creating, storing, and utilizing
composite images of a
geographic location

TX (21):

[0051] In step 72, a time interval T is measured in the image sequence between the two passings of the landmark. In step 74, the computer 28 uses the GPS data to compute a function for determining the time interval between successive passes of any point along the path. The function is then used to find, for each point x on the path, a time of return $Tr(x)$ which measures the lapse of time between the two passings of each point. In step 76, a point is identified for which $Tr(x)=T$. The identified point provides the GPS position of the landmark and hence, a GPS time associated with the landmark. Given the GPS time, a difference between the GPS time and the video time associated with the landmark may be calculated for synchronizing any image frame acquired at a particular video time to the GPS position of the camera at a particular GPS time.

Detail Description Paragraph - DE

DOCUMENT-IDENTIFIER: US 20030048218 A1

TITLE: GPS based tracking
system

----- KWIC -----

Brief Description of Drawings Paragraph -
DRTX (15):

[0030] FIG. 14 is a flow chart describing
the process of synchronizing GPS
time and video time.

Detail Description Paragraph - DETX (164):

[0184] Tsync computer 534 is used to
synchronize video time to GPS time.
Tsync 534 is connected to a Trimble
Pallisades GPS receiver 536, VITC reader
535 and VITC 506. FIG. 14 is a flowchart
describing the operation of Tsync
534. GPS receiv